## REMARKS

Claims 1, 3-11, and 13-21 are rejected in the application. Claims 2 and 12 were previously canceled. Claims 1, 3-11, and 13-21 remain in the application.

## Claim Rejections under 35 U.S.C. § 103

Claims 1, 3-11 and 13-20 were rejected under 35 U.S.C. § 103(a) as being unpatentable over Kimura et al., U.S. Patent No. 6,105,127 (hereinafter "Kimura") in view of Olarig et al., U.S. Patent No. 5,944,809 (hereinafter "Olarig").

As recited in independent claims 1, 10, 11, and 20, a counter is provided that has a value selected depending on the priority assigned to the thread. Allocating a resource between a plurality of threads is controlled based on the counter (see pages 7-8 of the filed application). In one embodiment, the counter value can bet set high when a high priority is given to a thread, and set to a low value when a low priority is given to a thread. The cited references fail to teach or suggest this feature of the independent claims.

As stated in the Office Action, Kimura fails to disclose "a counter loaded with a predetermined value by control logic for each thread in the memory, such that the value being selected depending on the priority assigned, and the counter being used to allocate said resource between a plurality of threads." (Office Action, p. 3).

The Office Action relies on Olarig make up for the deficiencies of Kimura. In particular, the office action points to LOPIC and COPIC as being "threads" and a two-bit counter used to allocate resources between LOPIC and COPIC. As shown in Fig. 3, multiple CPUs are shown (elements 15 and 106), each with a "LOPIC" (elements 305, 306, respectively; "local programmable interrupt controller). The Office Action first cites to Col. 3, lines 22-38. The first

-7-

Response to Final Office Action dated Jan. 6, 2006

Response to Office Action dated July 6, 2006

sentence of this paragraph states that it applies to "balancing the interrupt loading among various processors in a scalable MP [multiprocessor] system." A counter is associated with each processing unit, and that counter is incremented each time an I/O interrupt is dispatched to that processing unit (Col. 3, lines 36-38). In the prior art example of Fig. 1, four processors are provided (CPU1 105 being one of them), and a two-bit counter is associated with each CPU. Each CPU is initialized with a value 00, 01, 10, or 11 so that each processor has a different two bit value. When an I/O interrupt is sent to one of the processors, each of the processors' two-bit counters are incremented by 1. (Col. 6, lines 42-57). The counters serve to provide a "roundrobin" system for allocating the interrupt to the appropriate processor. In effect, one of the counters will have the lowest (or highest) value, and each time an I/O interrupt is sent to one of the processors, the counters are all incremented so that a new one of the processors will have the lowest (or highest) value. This assignment of the lowest (or highest) value is shared evenly among the four processors.

Claim 1, for example, provides a method where a single processor is to execute a plurality of threads. A counter is provided "with a predetermined value for [the] plurality of threads, [the] value being selected by control logic depending on the priority assigned to each thread." Neither of these features are shown in Olarig. First, Olarig is quite clearly associated with balancing workload for interrupts among several different processors, not a single processor executing such code. Second, Olarig does not provide control logic that selects the value for the counter "depending on the priority assigned to each thread." In Olarig, the values for the counters are essentially random in that it doesn't matter which processor has which value, just as long as the four values are different (avoiding any "ties" when seeking to have one of the

-8-

S/N: 09/490,172

Response to Final Office Action dated Jan. 6, 2006

Response to Office Action dated July 6, 2006

processors execute code to handle an I/O interrupts). Thus, the counter in Olarig is merely a round robin identifier for each of the four processors to execute its own LOPIC code.

Though counters are well known in the art, there is no description or suggestion in the Kimura and/or Olarig references to provide a counter for allocating resources in a multi-threaded environment as described in claim 1. The remaining independent claims, claims 10, 11, and 20, include similar limitations as found in claim 1. Since these features are neither taught nor suggested by the Kimura or Olariq references (taken individually or in combination), reconsideration and withdrawal of the rejection of claims 1, 3-11, and 13-21 under 35 U.S.C. § 103(a) is respectfully requested.

-9-

S/N: 09/490,172

Response to Final Office Action dated Jan. 6, 2006 Response to Office Action dated July 6, 2006

## **CONCLUSION**

For all the above reasons, the Applicants respectfully submit that this application is in condition for allowance. A Notice of Allowance is earnestly solicited.

The Examiner is invited to contact the undersigned at (202) 220-4255 to discuss any matter concerning this application. The Office is hereby authorized to charge any additional fees or credit any overpayments under 37 C.F.R. §1.16 or §1.17 to Deposit Account No. 11-0600.

Respectfully submitted,

KENYON & KENYON

Dated: July 6, 2006

Shawn W. O'Dowd Reg. No. 34,687

KENYON & KENYON 1500 K Street, NW, Suite 700 Washington, D.C. 20005-1257 (202) 220-4200 telephone (202) 220-4201 facsimile DC1-618677v1